

Dendrobium moiorum (Orchidaceae: Epidendroideae), a new species of Dendrobium section Diplocaulobium from West Papua, Indonesia

by Jimmy Wanma

Submission date: 05-Apr-2023 01:59PM (UTC+0900)

Submission ID: 2056342376

File name: 5_Dendrobium_Moiorum_2020.pdf (2.66M)

Word count: 1834

Character count: 10108

2See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/338869541>**17**

Dendrobium moiorum (Orchidaceae: Epidendroideae), a new species of Dendrobium section Diplocaulobium from West Papua, Indonesia

Article in **Phytotaxa** · January 2020

DOI: 10.11646/phytotaxa.439.45

CITATIONS

0

READS

51

4 authors, including:



Reza Saputra

Ministry of Environment and Forestry Indonesia

27

6 PUBLICATIONS 2 CITATIONS

[SEE PROFILE](#)

Jimmi Anna

State University of Papua

6

PUBLICATIONS 3 CITATIONS

[SEE PROFILE](#)

Some of the authors of this publication are also working on these related projects:

Phylogenomics of Philippine Zingiberaceae [View project](#)The genus Hornstedtia Retz. (Zingiberaceae) in the Philippines [View project](#)



12

Dendrobium moiorum (Orchidaceae: Epidendroideae), a new species of Dendrobium section Diplocaulobium from West Papua, Indonesia

REZA SAPUTRA¹, MARK ARCEBAL K. NAIVE², JIMMY FRANS WAN^{19,3} & ANDRÉ SCHUITEMAN⁴

¹West Papua Natural Resources Conservation Agency (Balai Besar KSDA Papua Barat), Ministry of Environment and Forestry, Indonesia. Jl. 13 Klamono KM 16, Sorong, West Papua Province, Indonesia; E-mail: reza.saputra21@gmail.com

²Department of Biological Sciences, College of Science and Mathematics, Mindanao State University-Iligan Institute of Technology, Iligan City, Lanao del Norte, Philippines

³University of Papua, 23 nokwari, West Papua Province, Indonesia

⁴Science Directorate, Royal Botanic Gardens, Kew, Richmond, Surrey, TW9 3AB, UK

Abstract

Dendrobium moiorum Saputra, Schuit., Wanma & Naive (Orchidaceae: Epidendroideae; Dendrobieae), a new endemic species from West Papua, Indonesia, is described and illustrated. The new species resembles *Dendrobium isthmiferum* and the diagnostic differences are discussed. Information on distribution, ecology, phenology and conservation status are provided.

Keywords: endemic, Papuasia, taxonomy, Sorong Nature Recreation Park

Introduction

Described by Swartz (1799: 82), *Dendrobium* belongs to the tribe Malaxideae, subtribe Dendrobiinae (Chase et al., 2015), and is the second largest orchid genus encompassing about 1600–1800 species. This genus consists of epiphytic, occasionally lithophytic or rarely terrestrial herbs distributed from Sri Lanka throughout tropical Asia and the Pacific region, north to Japan, east to Tahiti and south to New Zealand (Schuiteman & Adams, 2014; Ormerod, 2017). According to Ormerod & Juswara (2019), the number of species belonging to the genus *Dendrobium* in Indonesia is uncertain but is probably around 800 species and many undoubtedly still await discovery.

Material of a *Dendrobium* species easily identified as a member of section *Diplocaulobium* Reichenbach (1876: 112), because of its bottle-shaped, unifoliate pseudobulbs and ephemeral, white flowers with narrow, pointed sepals and petals. The specimen was collected from the pristine tropical forest of Sorong Nature Recreation Park, Birds Head Peninsula in Indonesia during the first author's botanical excursion there in February 2019. After a thorough examination of its morphology and comparison with protoglosses and actual and digitized type specimens of the genus *Dendrobium* from Indonesia and neighboring countries, it appeared that the specimens did not match any known species. We here describe it as a species new to science.

8

Materials and methods

The measurements and descriptions are based on fresh, dried, and spirit material. Descriptive terminology follows Beentje (2016). Flowers were preserved in 70% ethanol for microscopic examination. Original material of *Dendrobium* sect. *Diplocaulobium* from Indonesia and neighboring countries was examined from different herbaria, mainly through high-resolution images accessed at <https://plants.jstor.org/> as well as at the Orchids of New Guinea website accessed at <http://www.orchidsnewguinea.com>.

Taxonomic Treatment

Dendrobium moiorum Saputra, Schuit., Wanma & Naive, sp. nov. Fig. 1 and 2

Type:—INDONESIA. West Papua: Sorong City, Sorong Nature Recreation Park, elev. 100 m, 9 February 2019, Reza 303 (holotype: MAN!, spirit; isotypes: BO!, dried specimen, KRB!, spirit).

Diagnosis:—*Dendrobium moiorum* is similar to *Dendrobium isthmiferum* J.J.Sm. (Smith, 1935: 41), e.g., in the papillose patch on the mid-lobe between the two undulating keels, but differs in the rectangular, not cuneate, claw of the mid-lobe with strongly undulate margins, the much larger flowers (lip similar in length but sepals almost twice as long as in *D. isthmiferum*), larger leaves (13–23.5 cm versus 6.8–10 cm long), and the absence of red or purple markings on the lip, which is unusual in sect. *Diplocymbium*.

Epiphytic, sympodial herb. Roots white to brown, up to 10 cm long, ca. 2 mm in diameter, stiff, unbranched. Rhizome very short, creeping, sometimes branched, covered by deciduous, dull yellow to brown scales. Pseudobulb clustered, erect, bottle-shaped, 15.0–35.5 × 1.6 (at the base) to 0.3 (near the apex) cm, green to olive green, widened at the base, tapering towards the apex, sulcate, stem-like, covered by deciduous dull yellow-brown bracts at the base, unifoliate. Leaves erect, elliptic to lanceolate, rarely oblanceolate, 13.0–23.5 × 3.3–4.0 cm, coriaceous, glabrous, adaxially dark green, shiny, abaxially bright green, base cuneate to attenuate, margin entire, apex emarginate or unequally bilobed. Inflorescence arising from the apex of the pseudobulb, 1-flowered, singly or sometimes in pairs, nodding; peduncle 2.0–2.3 cm long, terete, glabrous; spathe formed by 3 scale-leaves, ovate to triangular, ca. 3.5 × 0.7 cm wide (1.4 cm wide when flattened), dull yellow to brown, papery, glabrous, margin entire, apex acute. Pedicel-with-ovary clavate, slightly curved, up to 9 cm long, terete, ovary not distinct, glabrous, pale green. Flowers up to 8 cm across (petal and sepal in natural position), up to 9 cm across when expanded, ephemeral. Dorsal sepal erect, ovate-triangular in basal part, narrowly linear in apical part, 6.1–6.4 × 0.4–0.5 cm, tapering, glabrous, white in the lower half, pale yellow towards apex, margin entire, apex slightly twisted, caudate, cucullate. Lateral sepals spreading, slight obliquely triangular in basal part, narrowly linear in apical part, falcate, 5.4–6.4 × 0.5–0.6 cm, tapering, glabrous, white in the lower half, pale yellow towards apex, margin entire, apex slightly twisted, caudate, cucullate. Petals narrowly ovate in basal part, linear in apical part, slightly falcate, 5.1–5.4 × 0.25–0.26 cm, tapering, glabrous, white in the lower half, pale yellow towards apex, margin entire, apex slightly twisted, caudate, cucullate. Labellum porrect from a short base, reclinate, pandurate, ca. 13.2–13.5 × 5–7 mm when flattened, 3-lobed, cuneate at base, with two parallel keels extending from the base of the lip to about halfway the mid-lobe, the keels straight between the lateral lobes and undulate on the mid-lobe; side lobes erect, rounded, sinuate, 2.0–3.3 mm long, glabrous, creamy white to yellowish white; mid-lobe spatulate, 4.5–5.5 mm long, clawed, claw almost rectangular, with two parallel undulate keels extending from the base to just below the blade, disc minutely papillose between the undulate keels, bright yellow, margin strongly undulate, apex rounded, margin sinuate, creamy white to pale yellow; mentum 4.5 mm long, obtuse. Column ca. 5 mm long, obtuse; anther pale yellow, rectangular-rounded, cucullate, in front minutely fimbriate and with a short, subulate projection on either side; pollinia 4, narrowly ovoid, 1.5–1.6 × 0.4–0.6 mm, dull yellow-brown, arranged in two pairs.

Fruit not seen.

16

Distribution:—Indonesian New Guinea, Bird's Head Peninsula. Only known from the type locality.

Habitat and Ecology:—Lowland rainforest at ca. 100 m a.s.l. in shaded and semi-open places without direct sunlight.

Phenology:—Observed flowering in February and July–September.

Etymology:—The specific epithet *moiorum* refers to a local tribe in Sorong, West Papua, the Moi, who protect the Sorong Nature Recreation Park forest and first brought this species to our attention.

Conservation status:—During field surveys in one year, we only found 11 individuals in two populations. The distribution of this species as presently known is very narrow, with an estimated population size of fewer than 1000 individuals. Despite Sorong Nature Recreation Park being a protected forest (conservation forest), the habitat of this species is prone to the effects of anthropogenic activities such as site disturbance, habitat fragmentation, and village expansion. According to the Red List criteria of the IUCN (2019), we assess this species as Vulnerable (VU C2a(i); D2).




FIGURE 1. *Dendrobium moiorum* A. Habit. B. Flower. C. Petal. D. Dorsal sepal. E. Lateral sepal. F-I. Lip. J. Pollinia. K. Anther. L. Pedicel with ovary. Scale bar, single line=1 cm, double lines=5 cm, triple lines=5 mm. Drawn from the type by Reza Saputra.




FIGURE 2. *Dendrobium moiorum*. A. Habit. B. Detail of pseudobulbs. C. Inflorescence. D. Flower. E. Detail of labellum (Front view & Profile view), scale bar: 2 mm. F. Dorsal sepal, scale bar: 2 cm. G. Lateral sepal, scale bar: 2 cm. H. Petal, scale bar: 2 cm. I. Pedicel with ovary, scale bar: 5 cm. J. Pollinia, scale bar: 1 mm. K. Anther. Photos by Reza Saputra.

Acknowledgements

We would like to thank to Paul Ormerod for helpful comments. Also to Andi Bonisau who allowed us to collect the material near their village.

6 References

- 1 Gentje, H. (2016) *The Kew plant glossary: an illustrated dictionary of plant terms*. 2nd ed. Royal Botanic Garden, Kew, 184 pp.
- 2 Chase, M.W., Cameron, K.M., Freudenstein, J.V., Pridgeon, A.M., Salazar, G., Van den Berg, C. & Schuiteman, A. (2015) An updated classification of Orchidaceae. *Botanical Journal of the Linnean Society* 177: 151–174.
<https://doi.org/10.1111/boj.12234>
- 3 IUCN Standards and Petitions Subcommittee (2019) *Guidelines for Using the IUCN Red List Categories and Criteria*. Version 14. Prepared by the Standards and Petitions Subcommittee. Available from: <http://www.iucnredlist.org/documents/RedListGuidelines.pdf> (accessed 17 October 2019)
- 4 Ormerod, P. (2017) *Checklist of Papuan Orchids*. Nature & Travel Books, Lismore, Australia, 494 pp.
- 5 Ormerod, P. & Juswara, L.S. (2019) New names in Indonesian Orchids. *Harvard Papers in Botany* 24 (1): 27–30.
<https://doi.org/10.31007/hjb.v24iss1.2019.n5>
- 6 Reichenbach, H.G. (1876) On some Orchidaceae collected by Mr. Moseley, of the 'Challenger' expedition, in the Admiralty Islands, Ternate, and Cape York, one of which forms the Type of a new section of the Genus *Dendrobium*. *Journal of Linnean Society of Botany* 15: 112–204.
<https://doi.org/10.1111/j.1095-8339.1876.tb002310>
- 7 Schuiteman, A. & Adams, P.B. (2014) *Dendrobium*. In: Pridgeon, M.A., Cribb, P.J., Chase, M.W. & Rasmussen, F.N. (Eds.) *Genera orchidacearum*, vol. 6. Epidendroideae (Part three). Oxford University Press, Oxford, pp. 51–100.
- 8 Smith, J.J. (1935) Orchidaceae. *Guinea* 18 (1): 9–85.
- 9 Swartz, O. (1799) Dendrobium. *Nova Acta Regiae Societatis Scientiarum Upsaliensis Ser. 2*, 6: 82–85.

Dendrobium moiorum (Orchidaceae: Epidendroideae), a new species of Dendrobium section Diplocaulobium from West Papua, Indonesia

ORIGINALITY REPORT

29%
SIMILARITY INDEX

20%
INTERNET SOURCES

23%
PUBLICATIONS

12%
STUDENT PAPERS

PRIMARY SOURCES

- | | | |
|----------|--|-----------|
| 1 | europeanjournaloftaxonomy.eu
Internet Source | 2% |
| 2 | hal.science
Internet Source | 2% |
| 3 | etheses.whiterose.ac.uk
Internet Source | 2% |
| 4 | Ming-He Li, Ding-Kun Liu, Guo-Qiang Zhang, Hua Deng, Xiong-De Tu, Yan Wang, Si-Ren Lan, Zhong-Jian Liu. "A perspective on crassulacean acid metabolism photosynthesis evolution of orchids on different continents: Dendrobium as a case study", <i>Journal of Experimental Botany</i> , 2019
Publication | 2% |
| 5 | Submitted to University of Camerino
Student Paper | 1% |
| 6 | www.nparks.gov.sg
Internet Source | 1% |

- 7 Izai A. B. Sabino Kikuchi, Paul J. A. Keßler, André Schuiteman, Jin Murata et al. "Molecular phylogenetic study of the tribe Tropidieae (Orchidaceae, Epidendroideae) with taxonomic and evolutionary implications", PhytoKeys, 2020
Publication
-
- 8 Arcebal K. Naive Mark, Joseph T. Villanueva Reagan, Suwidji Wongso, Niels Jacobsen. " (Araceae), a remarkable new species discovered by a citizen scientist in Zamboanga Peninsula, southwestern Philippines ", Nordic Journal of Botany, 2023
Publication
-
- 9 Roberto Iannuzzi, Rodrigo Neregato, Juan C. Cisneros, Kenneth D. Angielczyk et al. "Re-evaluation of the Permian macrofossils from the Parnaíba Basin: biostratigraphic, palaeoenvironmental and palaeogeographical implications", Geological Society, London, Special Publications, 2018
Publication
-
- 10 Submitted to University of Hong Kong
Student Paper
-
- 11 spacetrex.arizona.edu
Internet Source
-
- 12 kew.iro.bl.uk
Internet Source

1 %

13 www.aes.bioflux.com.ro 1 %
Internet Source

14 Eng Soon Teoh. "Medicinal Orchids of Asia",
Springer Science and Business Media LLC,
2016 1 %
Publication

15 repository.kulib.kyoto-u.ac.jp 1 %
Internet Source

16 André Schuiteman. "Porpax verrucosa
(Orchidaceae), a new species from Cambodia",
Kew Bulletin, 2016 1 %
Publication

17 jurnal.papuabaratprov.go.id 1 %
Internet Source

18 H. G. Reichenbach. "Contributions to the
Botany of H.M.S. 'Challenger.' XXXII. On some
Orchidaceae collected by Mr, Moseley, of the
'Challenger' Expedition, in the Admiralty
Islands, Ternate, and Cape York, one of which
forms the Type of a new Section of the Genus
Dendrobium.", Journal of the Linnean Society
of London Botany, 05/1876 1 %
Publication

19 ejournal.forda-mof.org 1 %
Internet Source

20	Ye Lwin Aung, Xiaohua Jin, André Schuiteman. "Coelogyne putaoensis (Orchidaceae), a new species from Myanmar", PhytoKeys, 2017 Publication	1 %
21	complete.bioone.org Internet Source	1 %
22	threatenedtaxa.org Internet Source	1 %
23	docplayer.es Internet Source	1 %
24	legacy.tropicos.org Internet Source	1 %
25	www.scielo.br Internet Source	1 %
26	mafiadoc.com Internet Source	<1 %
27	Refik Arıkan. "An unknown Roman bridge on sangarius and ancient road system around it", New Trends and Issues Proceedings on Humanities and Social Sciences, 2016 Publication	<1 %

Exclude quotes On
Exclude bibliography Off

Exclude matches Off