

**21<sup>st</sup> ANNUAL AUSTRALIAN POULTRY SCIENCE SYMPOSIUM**

**SYDNEY, NEW SOUTH WALES**

**1 -3<sup>RD</sup> FEBRUARY 2010**

**Organised by**

**THE POULTRY RESEARCH FOUNDATION  
(University of Sydney)**

**and**

**THE WORLD'S POULTRY SCIENCE ASSOCIATION  
(Australian Branch)**

Papers presented at this Symposium have been refereed by external referees and by members of the Editorial Committee. However, the comments and views expressed in the papers are entirely the responsibility of the author or authors concerned and do not necessarily represent the views of the Poultry Research Foundation or the World's Poultry Science Association.

Enquiries regarding the Proceedings should be addressed to:

The Director, Poultry Research Foundation  
Faculty of Veterinary Science, University of Sydney  
Camden NSW 2570

Tel: 02 46 550 656; 9351 1656  
Fax: 02 46 550 693; 9351 1693

ISSN-1034-6260

**AUSTRALIAN POULTRY SCIENCE SYMPOSIUM  
2010**

**ORGANISING COMMITTEE**

Dr. Peter Groves (Acting Director)  
Dr P. Selle (Editor)  
Ms. L. Browning (President PRF)  
Ms. M. Betts  
Professor W.L. Bryden  
Dr. D. Cadogan  
Dr. A. Crossan  
Mr. P. Doyle  
Professor D.J. Farrell  
Mr. G. Hargreave  
Dr. R. Hughes  
Dr. A. Kocher  
Mr. G. McDonald  
Dr. W. Muir  
Ms. J. O'Keeffe  
Dr. R. Pym  
Dr. J. Roberts  
Dr T.M. Walker

The Committee thanks the following, who refereed papers for the Proceedings:

D.J. Cadogan  
G.M. Cronin  
J.A. Downing  
P.J. Groves  
R.J. Hughes  
W.I. Muir  
R. Ravindran  
P.H. Selle  
T. Walker

The Committee would also like to recognise the following Chairpersons for their contribution to:

**Australian Poultry Science Symposium 2009**

Ms. Linda Browning – President - Poultry Research Foundation  
Professor Julie Roberts – President - Australian WPSA Branch  
Dr. Peter Selle – University of Sydney  
Dr. Jeff Downing – University of Sydney  
Professor Mingan Choct – Australian Poultry CRC  
Dr. Vivien Kite – RIRDC Chicken Meat Programme  
Dr. Ron MacAlpine – Inghams Enterprises  
Dr. Angus Crossan – AECL  
Mr. Greg Hargreave – Baiada Poultry Pty. Ltd  
Dr. Peter Groves – Director - Poultry Research Foundation

## **AUSTRALIAN POULTRY AWARD**

The Australian Poultry Award is presented annually to an Australian resident who has made a long-term outstanding contribution to poultry science and/or the Australian poultry industry. The Award is made by the Australian Branch of the World's Poultry Science Association (WPSA) and takes the form of a suitably inscribed plaque which includes the winner's name, together with a framed citation. Nominations are called for early each year from the membership of WPSA, and completed nominations require to be forwarded to the Secretary of the Australian Branch no later than 31<sup>st</sup> July. The selection committee consists of the Australian Branch Management Committee of WPSA (10 members) as well as Award recipients from the previous 10 years who are still active in the Australian poultry Industry. Voting is by secret postal ballot, and if more than two candidates are nominated, a preferential voting system is used. The Award is made to the winner at suitable forums where poultry industry people are gathered, such as the annual Australian Poultry Science Symposium, the biennial Poultry Information Exchange (PIX), and the triennial Australian Poultry Convention.

### **Previous recipients of the award are:**

1964	Mr A.O. Moll	1987	Mr E. Rigby
1965	Dr M.W. McDonald	1988	Mr W. Shaw
1966	Professor R.B. Cumming	1989	Dr H. Bray
1967	Mr F. Skaller	1990	Dr M. Mackenzie
1968	Professor G.L. McClymont	1991	Professor D.J. Farrell
1969	Dr S. Hunt	1992	Dr B.L. Sheldon
1970	Dr L. Hart	1993	Mr R. Macindoe
1971	Mr N. Milne	1994	Mr B. Bartlett
1972	Mr R. Morris	1995	Dr R.A.E. Pym
1973	Mr J. & Mr R. Ingham	1996	Dr E.E. Best
1974	Mr S.J. Wilkins	1997	Mr M. Peacock
1975	Professor C.G. Payne	1998	Professor D. Balnave
1976	Mr W. Stanhope	1999	Dr H. Westbury
1977	Professor B. Sinkovic	2000	Mr L. Brajkovich
1978	Mr J. Douglas	2001	Mr R.J. Hughes
1979	Mr D. Blackett	2002	Dr T.M. Grimes
1980	Dr A.F. Webster	2003	Dr R. MacAlpine
1981	Mr R. Fuge	2004	Dr M. Choct
1982	Dr J.G. Fairbrother	2005	Professor P. Spradbrow
1983	Dr R.K. Ryan	2006	Dr Juliet R. Roberts
1984	Mr C. Donnelley	2007	Dr Vivien Kite
1985	Dr P. Gilchrist	2008	Mr Rowly Horn
1986	Dr C.A.W. Jackson		



*SPONSORS of the 2010  
AUSTRALIAN POULTRY SCIENCE SYMPOSIUM*

*Invited Speaker Sponsors*

**AECL Egg Program  
Poultry Research Foundation  
RIRDC Chicken Meat Program**

*Gold Sponsors*

**Australian Poultry CRC  
DSM Nutritional Products Pty. Ltd  
Feedworks / Danisco  
Phibro Animal Health / Alpharma Animal Health**

*Silver Sponsors*

**ADM Australia Pty. Ltd  
Alltech Biotechnology Pty. Ltd  
Evonik Degussa Australia Pty. Ltd**

*Bronze Sponsors*

**Baiada Poultry Pty. Ltd  
BEC Feed Solutions  
Biomin Australia  
Elanco Animal Health  
International Animal Health  
JEFO Australia  
Kemin (Australia)**

*Alternative Sponsors*

**Kemira  
Zootechny Pty. Ltd**

## CONTENTS

RECOGNITION OF THE 100 <sup>TH</sup> ANNIVERSARY OF THE FACULTY OF VETERINARY SCIENCE – UNIVERSITY OF SYDNEY	i
JOHN.L.BARNETT IN MEMORIAM	v
<b>INNOVATIONS IN EUROPEAN POULTRY PRODUCTION</b>	
DEVELOPMENTS AND INNOVATIONS IN BROILER NUTRITION IN THE NETHERLANDS <i>L.L. de Lange – De Heus Voeders B.V. The Netherlands</i>	1
CHALLENGING CURRENT POULTRY FEEDING DOGMAS BY FEED INTAKE RESTRICTION AND THE USE OF COARSE FEED INGREDIENTS <i>B. Svihus - Norwegian University of Life Sciences Norway</i>	9
CHALLENGES TO EUROPEAN POULTRY PRODUCTION <i>JD. van der Klis - Schothorst Feed Research The Netherlands</i>	17
UPDATE ON CURRENT EUROPEAN BROILER BONE PROBLEMS <i>C. Whitehead – Roslin Institute UK</i>	22
<b>NUTRITION SYSTEMS BEYOND ME</b>	
UTILISATION OF METABOLISABLE ENERGY OF FEEDS IN PIGS AND POULTRY: INTEREST OF NET ENERGY SYSTEMS? <i>J. Noblet, J. van Milgen and S. Dubois – INRA France</i>	26
AN EFFECTIVE ALTERNATIVE TO THE METABOLISABLE ENERGY SYSTEM <i>R. Gous – University of KwaZulu-Natal South Africa</i>	36
ENERGY IN POULTRY DIETS: ADJUSTED AME OR NET ENERGY <i>J.D. van der Klis, C. Kwakernaak, A. Jansman and M. Blok - Schothorst Feed Research The Netherlands</i>	44
NON-STARCH POLYSACCHARIDES AND ENZYME APPLICATION INFLUENCE THE NET ENERGY VALUE OF BROILER DIETS <i>M. Choct, A. Tukei and D.J. Cadogan – Australian Poultry CRC</i>	50
<b>BROILER NUTRITION</b>	
UPDATE ON NEAR INFRARED REFLECTANCE ANALYSIS OF GRAINS TO ESTIMATE NUTRITIONAL VALUE FOR CHICKENS <i>J.L. Black, R.J. Hughes, M.S. Geier, S.G. Nielsen, A.M. Tredrea and P.C. Flinn – J. Black Consulting</i>	51
THE PERFORMANCE OF BROILERS OFFERED SORGHUM-COMPARED TO WHEAT-BASED DIETS: A LARGE SCALE EXPERIMENT <i>R.A. Perez-Maldonado and H. Rodrigues – Dept. Primary Industries &amp; Fisheries QLD</i>	55

## **BROILER NUTRITION (Cont.)**

ENERGY UTILISATION AND DIGESTIBILITY OF FATS AS INFLUENCED BY THE AGE OF BROILERS 59

*P. Tanchaoenrat, F. Zaefarian, G. Ravindran and R. Ravindran, – Massey University NZ*

TOOLS IN EARLY NUTRITION TO MAXIMISE GROWTH PERFORMANCE 60

*A.Kocher, A. Naylor, C. Martin, T. Wilson and J. Hazeldene - Alltech Biotechnology*

DIETS HIGH IN LINOLEIC ACID REDUCE OMEGA-3 LONG CHAIN POLYUNSATURATED FATTY ACIDS IN CHICKEN TISSUE 64

*L.R. Kartikasari, R. J. Hughes, M.S. Geier, M. Makrides and R.A. Gibson – University of Adelaide*

THE VULNERABILITY OF SORGHUM TO “MOIST-HEAT” 68

*P.H. Selle, R.J. Gill and J.A. Downing – University of Sydney*

THE NUTRITIVE VALUE OF HIGH-YIELDING TRITICALE VARIETIES AND THEIR POTENTIAL FOR INCLUSION IN POULTRY DIETS 72

*A.Widodo, P.Iji and J.V. Nolan – University of New England*

## **EFFECTS OF HOUSING AND LITTER ON BEHAVIOUR AND FOOD QUALITY**

INFLUENCE OF HOUSING SYSTEMS ON THE BACTERIOLOGICAL QUALITY AND SAFETY OF TABLE EGGS 74

*K. de Reu, W. Messens, K. Gruspeerd, M. Heyndrickx, B. Rodenburg, M. Uyttendaele and L.Herman – Institute for Agriculture and Fisheries Research (ILVO)*

LITTER CONSUMPTION BY POULTRY AS AFFECTED BY DIET STRUCTURE 82

*B. Svihus and H. Hetland - Norwegian University of Life Sciences Norway*

THE EFFECTS OF INTERRUPTING A DUSTBATHING BOUT ON THE CHOICE BEHAVIOUR OF LAYING HENS IN A Y-MAZE TEST 85

*S.M. Laine, G.M. Cronin, J.C. Petherick and P.H. Hemsworth – University of Melbourne*

EGG QUALITY IN THE AUSTRALIAN EGG INDUSTRY: AN UPDATE 86

*J.R. Roberts and K.K. Chousalkar – Australian Poultry CRC*

## **BROILER PERFORMANCE AND NUTRITION**

OPTIMAL SULPHUR AMINO ACIDS TO LYSINE RATION IN GROWER PHASE IN ROSS 308 BROILERS 90

*T.G. Madsen, E. Hangoor, P.J.A. Wjitten, J.K.W.M. Sparrrla and A. Lemme – Evonik Degussa Pty. Ltd*

DIETARY ENZYMES ALTER SORGHUM PROTEIN DIGESTIBILITY AND AME CONTENT 94

*A.Sultan, X. Li, D. Zhang, D.J. Cadogan and W.L. Byrden - University of Queensland*

## **BROILER PERFORMANCE AND NUTRITION (Cont.)**

- INFLUENCE OF ENERGY AND BALANCED PROTEIN LEVELS IN WHEAT-BASED DIETS ON ROSS 308 BROILER PERFORMANCE **95**  
*T.G. Madsen, S. Carroll, C. Kemp and A. Lemme – Evonik Degussa Pty Ltd*
- VARIATION IN NUTRIENT COMPOSITION AND STRUCTURE OF HIGH-MOISTURE MAIZE DRIED AT DIFFERENT TEMPERATURES **99**  
*M.M. Bhuiyan, P.A. Iji, A.F. Islam and L.L. Mikkelsen – University of New England*
- INFLUENCE OF FEED FORM ON INTAKE PREFERENCE AND PERFORMANCE OF YOUNG BROILERS **103**  
*K.H. Huang and M. De Beer – Aviagen Inc. USA*

## **HEALTH**

- DIFFERENTIATION BETWEEN PATHOGENIC SEROTYPE 1 ISOLATES OF MAREK'S DISEASE VIRUS (MDV1) AND THE RISPENS VACCINE IN AUSTRALIA USING REAL-TIME PCR. **107**  
*K.G. Renz, B.F. Cheetham and S.W. Walkden-Brown - University of New England*
- A QUANTITATIVE PROFILE OF INFECTIOUS BRONCHITIS VIRUS IN FAECES OF LAYING HENS **111**  
*K.K. Chousalkar and J.R. Roberts – Charles Stuart University*
- THE STRATEGIC USE OF ORGANIC ACIDS TO IMPROVE GUT HEALTH IN POULTRY **115**  
*L. Li - Kemira Asia Pacific, Singapore*
- INACTIVATION OF VIRUSES AND COCCIDIA IN BROILER LITTER FOLLOWING HEAPING OR WINDROWING AT THE END OF THE BATCH **118**  
*A.F.M.F. Islam, S.K. Burgess, P.Easey, B. Wells and S.W. Walkden-Brown – University of New England*
- SPATIAL AND TEMPORAL VARIATION IN AMMONIA CONCENTRATIONS IN BROILER SHEDS: EFFECTS OF CHICKEN AGE AND SHED TYPE **122**  
*A.F.M.F. Islam, M. Dunlop, B. Wells and S.W. Walkden-Brown – University of New England*

## **LAYER NUTRITION, WELFARE AND FOOD SAFETY**

- EGGSHELL FACTORS INFLUENCING EGGSHELL PENETRATION AND WHOLE EGG CONTAMINATION BY DIFFERENT BACTERIA, INCLUDING *SALMONELLA ENTERITIDIS* **126**  
*K. de Reu, W. Messens, K. Gruspeerd, M. Heyndrickx, M. Uyttendaele and L. Herman - Institute for Agriculture and Fisheries Research (ILVO)*
- THE EFFECTS OF TWO LIGHT-DARK SCHEDULES ON EGG LAYING TIME AND SYNCHRONY, THE INCIDENCE OF LAYING IN THE DARK AND HEN WELFARE **130**  
*G.M. Cronin, S.S. Borg, T.H. Storey, J.A. Downing and J.L. Barnett – University of Sydney*
- ATTRACTING LAYING HENS INTO RANGE AREAS USING SHELTERBELTS **134**  
*E.A. Borland, S. Hazel, P.C. Glatz, B.K. Rodda, H. Rimmington, S.C. Wyatt and Z.H. Miao – University of Adelaide*

## **LAYER NUTRITION, WELFARE AND FOOD SAFETY (Cont.)**

ATTRACTING LAYING HENS INTO RANGE AREAS USING SHADE AND FORAGE <i>P.C. Glatz, B.K. Rodda, H. Rimmington, S.C. Wyatt and Z.H. Miao - SARDI</i>	<b>135</b>
--	------------

OPTIMUM LEVEL OF CASSAVA PULP IN DIETS FOR LAYERS <i>N. Chauynarong, P.A. Iji and U. Kanto – University of New England</i>	<b>136</b>
---	------------

IMPLICATIONS ON THE USE OF CANOLA MEAL AND RECOMMENDATIONS TO REDUCE FISHY TAIN IN EGGS FROM BROWN HENS <i>R. Perez-Maldonado and T. Treloar – Rider Perez-Maldonado Consultancy</i>	<b>140</b>
--	------------

EFFECT OF A COMPLEX ENZYME ON THE DIGESTIBILITY OF LAYER DIETS CONTAINING PALM KERNEL MEAL <i>V. Ravindran, D. Thomas, A. Leary and A.Kocher - Alltech Biotechnology</i>	<b>141</b>
--	------------

## **GLOBAL GOALS TO PROMOTE POULTRY PRODUCTION IN DEVELOPING COUNTRIES**

OPPORTUNITIES AND SUSTAINABILITY OF SMALLHOLDER POULTRY PRODUCTION IN THE SOUTH PACIFIC REGION <i>P. Glatz, I.D. Black, W. Ayalew, J.K. Pandi, R.J. Hughes, Z.H. Miao, J. Wahanui, T. Jansen, V. Manu and B.K. Rodda – SARDI</i>	<b>145</b>
--	------------

THE ROLE OF THE WORLD'S POULTRY SCIENCE ASSOCIATION (WPSA) IN SUPPORT OF POULTRY PRODUCTION IN DEVELOPING COUNTRIES <i>R. Pym - WPSA</i>	<b>153</b>
--	------------

THE EVOLVING ROLE OF FAO IN POULTRY DEVELOPMENT <i>S.D. Mack – FAO Italy</i>	<b>161</b>
---	------------

IMPROVED VILLAGE POULTRY PRODUCTION IN THE SOLOMON ISLANDS <i>R. Parker – Kai Kokorako Perma-Poultry</i>	<b>171</b>
---	------------

HEAVY METAL CONTAMINATION IN MINERAL SOURCES FOR MONOGASTRIC FEED IN ASIA PACIFIC <i>T. Jarman, A. Frio, A.Leary, A.Kocher, S. Fike and B. Timmons - Alltech Asia- Pacific Bioscience Centre</i>	<b>174</b>
--	------------

## **COMMERCIAL DUCK PRODUCTION**

DUCK PRODUCTION IN AUSTRALIA <i>P.R. Brown - Pepe's Ducks</i>	<b>178</b>
--	------------

THE EFFECTS OF STRAIN AND SEASON ON THE PERFORMANCE OF COMMERCIAL DUCKS UNDER AUSTRALIAN CONDITIONS <i>J.A. Downing and W. Taylor - University of Sydney</i>	<b>182</b>
--	------------

THE PERFORMANCE OF COMMERCIAL DUCKS FED DIFFERENT DIETARY PROTEIN CONCENTRATIONS DURING THE FINISHER PHASE <i>J.A. Downing and J. Ischan – University of Sydney</i>	<b>186</b>
---	------------

TWO-DAY-OLD DUCKLINGS INTERACT MORE WITH A BELL DRINKER THAN A NIPPLE DRINKER SUSPENDED ABOVE A TROUGH <i>G.M. Cronin, K.J. Williams and J.A. Downing - University of Sydney</i>	<b>190</b>
--	------------

## **BROILER INTESTINAL HEALTH**

MICROBIAL PROFILES OF THE GASTRO-INTESTINAL TRACT OF BROILERS AND ITS RELATION TO FEED EFFICIENCY <i>L.L. de Lange and P.J.A. Wijtten - De Heus Feeds B.V. The Netherlands</i>	<b>191</b>
CHARACTERISATION OF GUT BACTERIA ASSOCIATED WITH BROILER PERFORMANCE ACROSS VARIOUS AUSTRALIAN FEEDING TRIALS <i>V.A. Torok, K. Ophel-Keller, L.L. Mikkelsen, R. Perez-Maldonado, K. Balding, R. MacAlpine and R.J. Hughes - SARDI</i>	<b>195</b>
EFFECTS OF PHYTOGENICS AND ZINC BACITRACIN ON PERFORMANCE AND INTESTINAL HEALTH STATUS OF BROILERS <i>R.M. Gous, T. Steiner and R. Nichol – Biomin Australia</i>	<b>199</b>
THE ABILITY OF GREEN TEA TO POSITIVELY MODIFY THE GUT MICROFLORA IN BROILER CHICKENS <i>D.V. Thomas, A.L. Molan and V. Ravindran – Massey University</i>	<b>203</b>
EFFECTS OF NOVEL FEED ADDITIVES ON GUT HEALTH AND OVERALL PERFORMANCE IN BIRDS CHALLENGED WITH <i>CLOSTRIDIUM PERFRINGENS</i> <i>M.S. Geier, L.L. Mikkelsen, V.A. Torok, G.E. Allison, C. Olnood, A.Setia, M. Choct, M. Boulianne and R.J. Hughes - SARDI</i>	<b>207</b>
FEED ADDITIVES INFLUENCE GOBLET CELL DISTRIBUTION AND VILLUS-CRYPT ARCHITECTURE IN BROILERS AFTER NECROTIC ENTERITIS CHALLENGE <i>H.M. Golder, M.S. Geier, P.I. Hynd, R.E.A. Forder, M. Boulianne and R.J. Hughes - University of Adelaide</i>	<b>211</b>
<b>AUTHOR INDEX</b>	<b>215</b>

## THE NUTRITIVE VALUE OF HIGH-YIELDING TRITICALE VARIETIES AND THEIR POTENTIAL FOR INCLUSION IN POULTRY DIETS

A. WIDODO<sup>1</sup>, P. IJI<sup>1</sup> and J.V. NOLAN<sup>1</sup>

Triticale is a cereal grain that holds great promise as an alternative to wheat and other conventional grains used in poultry diets. Triticale generally has a higher yield than wheat and adapts to more difficult agronomic conditions than wheat (Korver *et al.*, 2004). A crop breeding group at the University of New England (UNE) has developed varieties that are even more high-yielding and more disease-resistant than the current commercial strains. These varieties will need further evaluation to establish their potential for animal, and particularly poultry feeding.

Eight varieties of triticale were obtained from the breeding group and subjected to detailed and proximate analysis, prior to feeding trials. Cultivar H116 contained more protein than the other cultivars (139 g/kg) while the lowest protein content was observed in cultivar H127 (Table 1). The cultivars were very similar in lysine content, containing between 4.3 g/kg in cultivar H127 and 4.9 g/kg in H249. Methionine content varied from 1.6 (cultivar H127) to 2.0 g/kg in cultivar H249. The gross energy content of the grains ranged from 18.2 (H127 and 128) to 18.5 MJ/kg (H55); the other five cultivars being iso-caloric at 18.4 MJ/kg. Crude fat was also highest (27.4 g/kg) in cultivar H55 and lowest in H128, and this may be the major cause of differences in energy values of between these two cultivars. Total starch varied from 578 g/kg in cultivar H157 to 657 g/kg in H249. Cultivar H55 was the highest in non-starch polysaccharides, 139 g/kg while H20 contained only 90 g/kg.

Calcium content varied from 0.3 to 0.5 g/kg, respectively in cultivars H426 and H55, while the phosphorus content was highest (4.4 g/kg) in cultivar H157 and lowest (3.5 g/kg) in H20. Phytate was quite high in all cultivars, generally close to half of the total P content. Cultivar H20 had the lowest level of phytate, 1.8 g/kg, while the highest amount, 2.2 g/kg, was found in H249.

Table 2 shows the digestibility of dry matter, starch and viscosity of samples during *in vitro* digestion. The *in vitro* method was adapted from Babynsky *et al* (1990), with slight modifications. The *in vitro* dry matter digestibility (IVDMD) varied between 71.1 % (H55) and 77.5 % (H128). Starch digestibility was between 19.5 % (H249) and 40.3 % (H157), and this low *in vitro* digestibility may be due to the high content of resistant starch. Cultivar H55 was the most viscous during digestion (1.2 cP) and this may be due to the high concentration of NSP in this cultivar.

## REFERENCES

- Babinsky L, Van der Meer JM, Boer H, Hartog (1990) *J Sci Food Agric.* **50**, 173-178  
 Korver DR, Zuidhof MJ Lawes KR (2004) *Poult. Sci.* **83**, 717-725.

<sup>1</sup> School of Environmental and Rural Science, University of New England, Armidale NSW 2351.

Tabel 1. Chemical composition (g/kg, dry matter) of the different varieties of triticale

Component	Variety							
	H116	H127	H128	H157	H20	H249	H426	H55
Dry matter	879	873	873	873	872	875	871	873
Ash	19.2	17.4	18.1	18.7	18.1	17.5	17.5	16.7
Crude protein	139	125	135	136	135	136	132	126
Gross Energy (MJ/kg)	18.4	18.2	18.2	18.4	18.4	18.4	18.4	18.5
Crude fat	18.5	15.9	13.9	14.6	16.3	17.5	19.1	27.4
Ca	0.4	0.4	0.4	0.4	0.4	0.4	0.3	0.5
P	4.1	4.0	4.1	4.4	3.5	3.6	4.0	3.7
K	5.7	5.5	5.8	5.7	5.9	5.4	5.7	5.0
Mn (mg/kg)	45.7	59.6	44.1	59.7	53.5	49.4	45.9	47.3
Na (mg/kg)	26.5	16.6	33.1	35.0	17.7	38.8	13.8	30.1
Total Starch	612	654	639	578	612	657	626	592
<i>Resistant starch</i>	442	478	484	463	455	509	453	453
P-Phytate	2.0	2.1	2.1	2.2	1.8	2.2	2.0	1.9
Total NSP	102	104	100	119	90	96	100	139
<i>Soluble NSP</i>	10	12	10	10	11	9	10	11
<i>Insoluble NSP</i>	92	91	89	110	79	87	90	128
Free sugars	31	27	29	23	31	27	33	28
Amino Acids								
Arginine	7.5	6.6	7.6	7.4	7.3	7.9	7.6	7.4
Threonine	4.4	3.9	4.6	4.4	4.3	4.7	4.4	4.5
Alanine	5.9	5.1	5.7	5.5	5.8	6.0	5.6	5.4
Lysine	4.6	4.3	4.8	4.6	4.7	4.9	4.7	4.6
Methionine	1.9	1.6	1.8	1.9	1.9	2.0	2.0	1.8
Valine	6.5	5.5	6.5	6.4	6.4	6.8	6.4	6.1
Isoleucine	4.9	4.1	4.8	4.8	4.7	5.0	4.8	4.5
Leucine	9.1	8.0	9.3	9.2	8.9	9.5	9.0	8.8
Phenylalanine	6.2	5.6	6.6	6.4	6.0	6.5	6.4	6.1

Tabel 2. *In vitro* digestibility of samples

Component	Variety							
	H116	H127	H128	H157	H20	H249	H426	H55
Dry matter digestibility (%)	75.8	76.3	77.5	74.0	75.4	77.3	77.4	71.1
Starch digestibility (%)	22.0	24.4	25.8	40.3	20.9	19.5	39.4	30.2
Viscosity during digestion (cP)	1.0	1.1	1.0	1.0	1.0	1.1	1.0	1.2

## CERTIFICATE OF PRESENTATION

*This certificate is awarded to*

**Mr. Aluisius Widodo**  
**University of New England**



THE UNIVERSITY OF  
**SYDNEY**

in recognition of valuable contributions to

**The Australian Poultry Science Symposium**  
**1st –3rd February 2010**  
with his presentation on

*In conjunction with*



**“The nutritive value of high-yielding triticale varieties and  
their potential for inclusion in poultry diets”**

*Dr. Peter Groves*

*3-2-2010*

*Date*