Proceedings of

International Seminar on Livestock Production and Veterinary Technology

"Smart Livestock Management to Support Breeding Stock Availability Toward Modern Agriculture" Kualanamu, 16-20th October 2018

Proceedings of

International Seminar on Livestock Production and Veterinary Technology

"Smart Livestock Management to Support Breeding Stock Availability Toward Modern Agriculture" Kualanamu, 16-20th October 2018



PROCEEDINGS OF INTERNATIONAL SEMINAR ON LIVESTOCK PRODUCTION AND VETERINARY TECHNOLOGY

"Smart Livestock Management to Support Breeding Stock Availability Toward Modern Agriculture" Kualanamu, 16-20th October 2018

Person in Charge : Atien Priyanti Chairman of Organizing Committee : Ismeth Inounu

Reviewers : Elizabeth Wina

Endang Romjali Bess Tiesnamurti Simson Tarigan Indrawati Sendow April H Wardhana Sofjan Iskandar Dwi Priyanto Wisri Puastuti Simon P Ginting Yenny N Anggraeny

Yeni Widiawati

Hartati Mike Nolan Ruth Gatenby

Editors : Elizabeth Wina

Yeni Widiawati

Layouters :

Irfan R Hidayat Ruliansyah Lubis Nandi Hendriana

Cover designer

Ruliansyah Lubis

Publisher: IAARD Press

Indonesian Agency for Agricultural Research and Development

Jalan Ragunan No. 29, Pasarminggu, Jakarta 12540

Telp.: +62 21 7806202, Fax.: +62 21 7800644 e-mail: <u>iaardpress@litbang.pertanian.go.id</u> MEMBER OF IKAPI NO: 445/DKI/2012

PREFACE

International Seminar on Livestock Production and Veterinary Technology is an activity that very in-line with the mandate of Indonesian Agency for Agricultural Research and Development (IAARD), particularly for Indonesian Center for Animal Research and Development (ICARD) in coordinating research activities in animal health and production. The Seminar provided an excellent opportunity to share the expertise and experiences, also to identify challenges and explore innovative solutions for the benefit of all conference participants. The main theme of International Seminar is "Smart Livestock Management to Support Breeding Stock Availability Toward Modern Agriculture". The aims of Seminar are: (1) To carry out the exchange of information on science and technology in an effort to develop livestock and veterinary production; (2) To improve networks between research institutions, universities and stakeholders; (3) To promote collaboration between research institutions, universities and stakeholders in research and development of livestock and veterinary production; and (4) To make information related to science and technology in the field of animal husbandry and veterinary results of the implementation of international seminars and workshops in a proceeding.

The participants of the Seminar come from research and development institutions, universities, agriculture-services in the country as well as overseas and also practitioners. There were six invited speakers in plenary session, the first speaker, Director General of IAARD; Dr. Roger Merkel with the tittle "Smallholder Livestock Production and Commercialization"; Dr. Hendrik C Knipscheer with the tittle "Improving Agricultural Commodities Value Chains: How to Collaborate with the Private Sector for the Benefit of Smallholder Farmers"; Dr. Stefan Muetzel with the tittle "Adaptation and Mitigation of Animal Agriculture to Climate Change"; Dr. Sabine Douxchamps and Dr. Sekou A Traore, representing Dr. Godefroy Grosjean with the tittle "The Asia Climate Policy Hub: Prioritizing Climate Smart Livestock Interventions for Indonesia"; and Drs. Ade M Zulkarnain with the tittle "Empowering Local Chicken Farmers Group for the Green Economy."

There were also 143 of participants attending and 49 participants present their paper in this seminar. The overseas participants came from America (American Institute for Goat Research, School of Agriculture and Applied Sciences, Langston University), New Zealand (New Zealand Agricultural Greenhouse Gas Research Centre), Vietnam (International Center for Tropical Agriculture/CIAT), Malaysia (Universiti Putra Malaysia), Thailand (Prince of Songkla University), Sri Lanka (University of Ruhuna), Australia (The University of Adelaide and Queensland University), Netherlands (Wageningen University), Germany (University of Hohenheim), Washington DC, Fort Collins, and United Kingdom. The Indonesian participants came from universities in Indonesia, research institutes under the Ministry of Agriculture, Ministry of Research, Technology and Higher Education, Indonesian Institute of Science, and private institution. Beside the international seminar, discussion group was also held in Parapat, North Sumatra for one day after the seminar.

All the papers published in the Proceedings have been revised as suggested by reviewers before the seminar was undertaken. Some papers that meet Journal requirement, are published in the Indonesian Journal of Animal and Veterinary Sciences (IJAVS) or Indonesian Bulletin of Animal and Veterinary Sciences (WARTAZOA) - ICARD scientific journal online.

Bogor, December 2018

Director of ICARD,

Dr. Atien Priyanti, MSc.

REPORT FROM CHAIRMAN OF COMMITTEE INTERNATIONAL SEMINAR ON LIVESTOCK PRODUCTION AND VETERINARY TECHNOLOGY

His Excellency Director General of Indonesian Agency for Agricultural Research and Development (IAARD), **Prof. Dr. Ir. Muhammad Syakir, MS**. Director of Research Center under IAARD, Head of Provincial and District Livestock Services of North Sumatera, and Dean of Animal Husbandry Faculty, North Sumatra University and invited speakers:

- ◆ **Dr. Roger Merkel** (American Institute for Goat Research, Langston University, Langston, OK, USA)
- ◆ Dr. Hendrik C Knipscheer (Winrock International, 2101 Riverfront Drive, Little Rock, Arkansas 72202, USA)
- Dr. Stefan Muetzel (AgResearch Limited, Grasslands Research Centre, New Zealand)
- ◆ **Dr. Godefroy Grosjean** (International Center for Tropical Agriculture (CIAT), Regional Office for Asia, Hanoi, Vietnam)
- ♦ **Drs. Ade M Zulkarnain** (Chairman of Indonesian Local-Chicken Farmer Association)

Participants come from: expert, researcher, observer on animal husbandry and veterinary and also practitioners.

Assalamu'alaikum Warohmatullaahi Wabarokaatuh

Good morning, ladies and gentlemen

First of all, let us thank to Allah Almighty for merciful and blessing to all of us, so we can gather in good health and be assembled here in the Opening Ceremony of the International Seminar on Livestock and Veterinary Technology. On behalf of organizing committee, I would like to welcome you all to this Seminar in Kualanamu. A deep appreciation is extended to you, especially to the overseas participants, who have come a long way from your home country.

As the Chairman of Organizing Committee, I am proud to organize this International Seminar on Livestock Production and Veterinary Technology with the main theme is "Smart Livestock Management to Support Breeding Stock Availability Toward Modern Agriculture." The theme is facing current livestock condition in Indonesia and highly strategic to deliver our innovation to users.

His excellency, distinguished guest, ladies and gentlemen

As the committee, I would like to report that there is a total of 143 participants attending this seminar. There are 72 submitted paper were evaluated and selected by the committee. The overseas participants are from America (American Institute for Goat Research, School of Agriculture and Applied Sciences, Langston University), New Zealand (New Zealand Agricultural Greenhouse Gas Research Centre), Vietnam (International Center for Tropical Agriculture/CIAT), Malaysia (Universiti Putra Malaysia), Thailand (Prince of Songkla University), Sri Lanka (University of Ruhuna), Australia (The University of Adelaide and Queensland University), Netherlands

(Wageningen University), and Germany (University of Hohenheim). The Indonesian participants come from universities in Indonesia, research institutes under the Ministry of Agriculture, Ministry of Research, Technology and Higher Education, Indonesian Institute of Science, and private institution.

His excellency, distinguished guest, ladies and gentlemen

There will be five invited speakers, one come from Indonesia and four others from overseas. Director General of IAARD will give a keynote speech that related to the theme of this Seminar. The first speaker is Dr. Roger Merkel with the tittle of paper "Smallholder Livestock Production and Commercialization". The second speaker is Dr. Hendrik C Knipscheer with the tittle of paper "Improving Agricultural Commodities Value Chains: How to Collaborate with the Private Sector for the Benefit of Smallholder Farmers". The third speaker is Dr. Stefan Muetzel with the title of paper "Adaptation and Mitigation of Animal Agriculture to Climate Change". The fourth speaker is Dr Sabine Douxchamps and Dr. Sekou A Traore, representing Dr. Godefroy Grosjean with the title of paper "The Asia Climate Policy Hub: Prioritizing Climate Smart Livestock Interventions for Indonesia". The fifth speaker is Drs. Ade M Zulkarnain with the tittle "Empowering Local Chicken Farmers Group for the Green Economy".

His excellency, distinguished guest, ladies and gentlemen

As it is always the case, nothing in the world is perfect. On behalf of the organizing committee, I apologize for any shortcomings in organizing this seminar. Nevertheless, I would like to thank to the steering committee for the direction and to all members of the organizing committee for their hard work which has made possible for us to be here today.

Finally, please allow me, to request His Excellency, The Director General of IAARD to give keynote speech and officially open this Conference.

Wassalamu'alaikum Warahmatullaahi Wabarakaatuh

Kualanamu, October 16th, 2018 Chairman of Organizing Committee,

Prof. Dr. Ismeth Inounu

TABLE OF CONTENTS

Proceedings ofi
"Smart Livestock Management to Support Breeding Stock Availability Toward Modern Agriculture"
Kualanamu, 16-20 th October 2018i
Proceedings ofii
"Smart Livestock Management to Support Breeding Stock Availability Toward Modern Agriculture"
Kualanamu, 16-20 th October 2018iii
PREFACEv
REPORT FROM CHAIRMAN OF COMMITTEE INTERNATIONAL SEMINAR ON LIVESTOCK PRODUCTION AND VETERINARY TECHNOLOGY vii
TABLE OF CONTENTSix
KEYNOTE SPEECH DIRECTOR GENERAL OF INDONESIAN AGENCY FOR AGRICULTURAL RESEARCH AND DEVELOPMENTxv
SEMINAR SUMMARY INTERNATIONAL SEMINAR ON LIVESTOCK PRODUCTION AND VETERINARY TECHNOLOGYxix
REPORT OF DISCUSSION GROUPxxiii
List of Committeexxvii
INVITED PAPERS 1
Smallholder Livestock Commercialization
Roger Merkel
Improving Agricultural Commodities Value Chains: How to Collaborate with the Private Sector for the Benefit of Smallholder Farmers
Hendrik C Knipscheer
Adaptation and Mitigation of Animal Agriculture to Climate Change
The Asia Climate Policy Hub: Prioritizing Climate Smart Livestock Interventions for Indonesia
Godefroy Grosjean, Douxchamps S, Traore SA
Empowering Local Chicken Farmers Group for the Green Economy
SUPPORTING PAPERS
RUMINANT
Genetic Diversity and Relationship among Bali Cattle from Several Locations in Indonesia Based on ETH10 Microsatellite Marker
Endang T Margawati, Volkandari SD, Indriawati, Ridwan M
Polymorphism Diacylglycerol Acyltransferase 1 (DGAT1) Gene in Bali Cattle32 <i>Alwiyah</i> ¹ , <i>Nuraini H</i> ² , <i>Agung PP</i> ³ , <i>Jakaria</i> ²
Identification of Water Buffalo through Cytogenetic and d-Loop Mitochondrial DNA 41

Nor 'Ammar Liyana Shaari ¹ , Zamri-Saad M ³ , Rosnina Y ² , Shahrom MS ¹ , Ghani NIA ⁴ , Loo SS ⁵ , Marilyn J ⁵ , Hafandi A ¹
Acetoanaerobium noterae and Saccharomyces cerevisiae as Potential Probiotics of Green House Gas Reducer
Yenny N Anggraeny, Pamungkas D, Krishna NH, Sukmawati PK
Synergistic Effect of Bioindustrial Products Combination of Cashew Nut Shell on Reducing Methane and Improving <i>In Vitro</i> Rumen Fermentation
Improved Milk Production when DDGS (Dried Distiller's Grains With Solubles) is Used to Substitute or Supplement Concentrate for Dairy Cattle in Indonesia
In Vitro Rumen Fermentation of Wild Guinea Grass (Ecotype A) (Panicum maximum) as Influenced by Biological Supplements
Chathurika APS, Sujani S, Manawadu A, Seresinhe RT
Nematode Infection in Slaughtered Cattle in Manokwari Regency Abbatoir, West Papua Province
Purwaningsih, Nurhayati D, Putra RP
Detection of <i>T. evansi</i> Using Parasitological, Serological, and Biological Test in Cattle and Buffalo at Surra Endemic Area (District of Pemalang and Brebes), Central Java7 Dyah H Sawitri ¹ , Wardhana AH ¹ , Ekawasti F ¹ , Akbari RA ²
Surra Cases in East Sumba Examined by Parasitological, Serological and Molecular Methods80
Dewi RS ^{1,2} , Wardhana AH ³ , Sawitri DH ³ , Akbari RA ⁴ , Soejoedono RD ⁵ , Mulatsih S ⁶
Seroepidemiology of Brucellosis on Dairy Cattle in Small-Holders Farms, in West Java
Eny Martindah, Noor SM
Potency and Development Strategy of Beef Cattle Integrated on Palm Oil Plantation in North Sumatra98
Shabil Hidayat, Sitindaon SH, Hastuti I, Khairiah
Linking Livestock Research and Farmer Practices: Comparative Study of Technology Transfer, Participatory Learning and Action Model in Eastern Indonesia110 Nurul Hilmiati
Contribution of Cattle Production to Livelihood of Smallholders Living Around Teak Forest in Bojonegoro, East Java
Komarudin ¹ , Hadiatry MC ² , Oosting SJ ³
Factors Affecting Biogas Technology Adoption by Cattle Farmers in Central Java132 Leksi P Fatmasari ¹ , Santosa PB ² , Roessali W ¹
Factors Influencing Profitability in Smallholder Dairy Farming in West Java, Indonesia
Jack B Hetherington ¹ , Yargon R ¹ , Haensch J ¹ , Akzar R ¹ , Granzin B ² , Umberger WJ ¹

Extension Approaches to Facilitate Farm Practice Changes for Dairy Smallholders in West Java, Indonesia
Vyta W Hanifah ¹ , Granzin B^2 , Hetherington JB^3
Risk Perception of Cattle Keepers in Southern Mali142
Sekou A Traoré, Reiber C, Markemann A, Valle Zárate A
The Effect of Natural Curing on Sensory and Physico-Chemical Quality Attributes of Beef Jerky (Indonesian Dried Beef)143
Eko Saputro ¹ , Yunus M ²
SMALL RUMINANT151
Physiological Response, Productivity and Behavior of Boerka Goat on Different Grazing Time
Alfian Destomo, Febretrisiana A, Sinulingga SE
Post-Thawed Local Ram's Semen Viability in Tris-Egg Yolk Extender with Different Glutathione Level
Nurcholidah Solihati, Rasad SD, Yusrina A
Sperm Longevity of Garut Ram Frozen Semen in Tris-Egg Yolk Extender171 Raden I Arifiantini ¹ , Nasution NS ² , Nalley WM ³
Effect of Different Type of Sugars on Post-Thawed Quality of Ram Spermatozoa179 Ni WK Karja ¹ , Prista AN ¹ , Andnyane IKM ²
Influence of <i>Indigofera zollingeriana</i> Based Concentrate on Sperm Quality of Boerka Goats
Arie Febretrisiana, Tarigan A, Ginting SP
Performance of Saburai Goat Kids Based on Type of Birth and Sex in Tanggamus District, Lampung Province196
Kusuma Adhianto, Erwanto, Husni A, Sulastri, Siswanto, Tobing EAD
Serum Biochemical, Hormonal and Fatty Acid Profiles During the Late Gestation of Pregnancy Ketosis in Boer Cross Goats
Muhamad Affan bin Ab Azid ¹ , Amirul FMA ¹ , Salleh A ² , Zamri-Saad M ² , Hassim HA ¹
Chemical Analysis and Palatability Test of Biscuit Fermented Sago Waste Enriched with Kelor Leaf (<i>Moringa oleifera</i>)
Zuwita M Pohan, Ginting N, Wahyuni TH, Mirwandhono E, Siregar GAW, Hamdan
Non-Carcass Percentage of Local Sheep Fed Fermented Cassava Peel
The Use of Fermented Cassava Peel (<i>Manihot utilisima</i>) in the Ration on Carcass Quality of Male Local Sheep
Ari A Nasution, Ginting N, Hasnudi, Umar S, Yunilas
Effects of Dietary Nitrogen and Non-Fiber Carbohydrate Ratio in Diet Supplemented with Urea-Limestone Mixture on Productive Performances of Growing Goats226 Muhammad A Harahap, Nuswantara LK, Pangestu E, Achmadi J

The Distribution of Gastrointestinal Worm on Ettawa Cross-Bred Goat at Kapal Village, Badung District, Bali Regency
I Wayan Sudarma, Londra IM
Physical Quality of Multinutrient Blocks with Organic Mineral Source on Different Storage Time and Methods
Retno I Pujaningsih, Tampoebolon BIM, Widianto
POULTRY255
The Effect of Fed of Basil (<i>Ocimum basilicum</i> Linn) Leaf Meal as a Feed Additive on the Development of Digestive Organs of Broilers
Feeding Value of Coconut Flour either Fermented with <i>Aspergillus niger</i> or <i>Saccharomyces cerevisiae</i>
Burhanudin Sundu, Adjis A, Hatta U
Feeding Local Fermented Feed on Performance and Carcass Percentage of Pekin Duck
Muhammad Daud, Yaman MA, Zulfan, Asril
Effect of the Total Maintenance Period and Population on Performance Index, Feed Efficiency, Feed Conversion Ratio, and Mortality Rate of Broiler in Small Scale Business
Roni M Yusup ¹ , Rusmayanti NT ¹ , Sinaga S ²
The Social Role of Duck Production Systems in Serang Regency of Banten Province .272
Maureen C Hadiatry ¹ , Komarudin ² , Oosting SJ ³
AGROSTOLOGY293
Influence of Scarification on Seeds Quality of <i>Indigofera</i> sp
Effect of Drying and Withering Process on Cyanide Content of Cassava Plant Parts291 Mohammad Mardiyanto ¹ , Subagio A, Poppi D^2 , Harper K^2
The Relationship of Pod Colour with the Quality of $Indigofera\ zollingeriana\$ 295 $Rijanto\ Hutasoit,\ Riyadi,\ Sirait\ J$
Forage Legumes for Sustainable Livestock Systems Productivity in Indonesia296 Sabine Douxchamps
OTHERS
The Quality of Sperm in Frozen Dog Semen Prepared Using Modified Tris-Egg Yolk Extender
Quality of Boar Liquid Semen in Modified BTS Extender Stored at 5 and 18°C307
Wilmientje M Nalley ^I , Delviona FY^2 , Arifiantini RI^3
The Effect of Copra Meal Replacement with Fermented Palm Oil Waste on the Performance of Rabbit
Duta Setiawan

Utilization of Native Chicken Manure Flour and Probiotic as an Additional Feed for Pig
Anak ANBS Dinata ¹ , Syahril T ²
Botanical Composition and Carrying Capacity of Grazing Field in the Captive Breeding Area for Timor Deer (<i>Cervus timorensis</i>) at Wosu Village, Central Sulawesi330
Muhammad S Arifuddin ¹ , Damry ¹ , Najamuddin ¹ , Toknok B ²
Farmers Perception on the Sustainability of Integrating Livestock in Plantation in Ex- Tobacco Deli North Sumatra335
Wasito, Bakrie B
Effect of Agricultural and Food Industry Byproducts on Pig Performance348
Trisiwi W Widayati, Rahayu BWW, Raharjo DJ
GROUP DISCUSSION365
Genetic and Environmental Interaction for Small Ruminant Development to Improve the Economic Value
Endang Romjali ¹ , Inounu I ¹ , Gatenby RM ²
Community Breeding Program for Small Ruminant in Indonesia
Characteristic of Indigenous Goat of Panorusan Samosir
Economic Liability of Sei Putih Breeding Innovation on Composite Sheep366 Atien Priyanti ¹ , Soedjana TD ¹ , Knipscheer HC ²
Nurturing Sheep Hamlet of Cinyurup: A Parallel to SR-CRSP Field Experience (An Insight of Sheep Hamlet Cinyurup-Juhut, Province of Banten)
Nutritional Support for Small Ruminant Development Based on Oil Palm Byproducts 379 Simon P Ginting ¹ , Simaihuruk K ¹ , Tarigan A ¹ , Pond KR ²
Feeding Strategy to Support Small Ruminants Industry
ááStrategy for Forage Improvement in Plantation
Current Situation on Infectious Diseases of Sheep and Goats in Indonesia398 RM Abdul Adjid, Noor SM, Adji RS
AUTHOR INDEX407
SEMINAR PARTICIPANTS409

Effect of Agricultural and Food Industry Byproducts on Pig Performance

Trisiwi W Widayati, Rahayu BWW, Raharjo DJ

Faculty of Animal Science, Papua University, Jl. Gunung Salju, Manokwari 98314, Indonesia t.widayati@unipa.ac.id

ABSTRACT

The aim of this study was to analyze the potency of agricultural and food industry byproducts on pigs performance. The agricultural and food industry byproducts were collected from two traditional markets, five restaurants and fifteen small-scale food industries. The four treatments were Ration I: Combination of 75% agricultural and food industry byproducts and 25% commercial ration; Ration II: Combination of 50% agricultural and food industry byproducts and 50% commercial ration; Ration III: Combination of 25% agricultural and food industry byproducts and 75% commercial ration; Ration IV: 100% commercial ration. Rations I, II, and III were formulated based on dry matter basis with isoprotein and isoenergy concept. ADG, feed consumption and FCR were measured to determine the pig performance. Tabulation was used to analyse the data. The result of the research showed that there was no significant difference among treatments. It means that the use of agricultural and food industries' wastes as the alternative components of pigs' feed to substitute the commercial ration did not reduce pigs' performance and production.

Key Words: Agricultural Byproduct, Pig, Ration

INTRODUCTION

The paradigm of modern animal husbandry is based on zero waste concept. Use of agricultural and food industrial byproducts into useful materials is an important issue that needs to be done. Pigs are the favorite animal for the Papuan people because they are valuable in social, cultural and economic setting. Most of the community use pigs in traditional ceremonies, and also as an exchange tool in several transactions. The market demand of this commodity is quite high and it has become a primary saving for many farmers. The selling price of this animal is sufficiently high, ones in weaning period can be sold from IDR 1.000.000 to 1.500.000 (\$69 to \$103.5) and the price for ones aged 8-12 months varied from IDR 3.000.000 to 5.000.000 (\$207 to \$345). So far, pigs in Papua haven't been intensively raised yet. The animals usually are left to look for food by themselves, so the aspects of feeding, reproduction and health are not properly cared. In general, farmers feed their animal with only a single type of feed, such as tubers or roots which is low in quality. The minimum amount and the low quality of feed are factors that affect the slow growth of pig and make them more vulnerable to diseases (Iyai et al. 2011; Harikumar et al. 2016,). Another problem in raising pigs is, they are a monogastrict animal which many of their feed competed with human's food. This condition causes a problem in feed availability during intensive pig raising, thus it is imperative to find alternatives to high quality pigs' feed without competing with the people (Woyengo et al. 2014; Schader et al. 2015).

A good livestock development depends on the availability of feed, socio-cultural conditions and local climate (Jabbar & Akter 2008; and Babovic *et al.* 2011). In fact,

the potential market of pig is high, but on the other hand there are still problems in the continuous feed, whether it is avalability, quality or cost. Thus it is necessary to use the ingredients from agriculture and food industry byproducts as an alternative of pig ration (Kasapidou *et al.* 2015; Katsoulis *et al.* 2016).

MATERIAL AND METHODS

Animal, ration and experimental design

Twelve male local pigs with an initial body weight of 12.54±1.84 kg were arranged in a completely randomized design with 4 treatments and 3 replications. The animal were housed in twelve individual cages.

Ration used in this experiment were formulated from agricultural and food industry byproducts i.e. fish waste, soybean curd waste, taro skin, soybean skin, vegetables waste, and commercial pig ration. The agricultural and food industry byproducts were collected from two traditional markets, five restaurants, and 15 food industries in Manokwari Regency. The four treatments were Ration I: Combination of 75% agricultural and food industry byproducts and 25% commercial ration; Ration II: Combination of 50% agricultural and food industry by-products and 50% commercial ration; Ration III: Combination of 25% agricultural and food industry byproducts and 75% commercial ration; Ration IV: 100% commercial ration. Rations I, II, and III were formulated based on dry matter basis with isoprotein and isoenergy concept. The commercial pig ration (CP 515) used in this experiment was produced by Charoen Pokphand, Indonesia. Formulation of pig ration in starter period is presented in Table 1.

Table 1. The potential and nutrients content of ingredients in pig ration

In andianta	Nutrients content				
Ingredients	DM (%)	CP (%) ¹	GE (kcal/kg) ¹	ME (kcal/kg) ²	
Fish waste	29.41	31.21	3,432.94	2,709	
Soybean curd	14.31	23.85	4,950.57	3,906	
Soybean skin	15.96	15.10	4,022.23	3,174	
Taro skin	26.45	4.26	3,648.96	2,879	
Vegetables waste	9.84	15.80	3,683.99	2,907	
Waste of restaurant	35.84	13.72	4,202.00	3,315	
Commercial pig ration (CP 511)	87.00	19.50	-	3,315.12	

¹Dry matter basis; ²Based on calculation

Experimental procedure

The experiment lasted for 35 days and was comprised of 10 days for ration adaptation, followed by 25 days for feed intake data collection. The rations was offered twice a day (at 08:00 and 16:00 h) *ad libitum*. Fresh water was available *ad libitum*. Individual ration refusals, if any, were

collected, weighed daily and samples were collected for analysis. Before the start of the experiment, pigs were dewormed with 0.7 ml/kg BW of Albendazole (PT Kimia Farma, Indonesia). The animals were weighed each week throughout of the experiment.

Statistical analysis

Data were subjected to analysis of variance for a completely randomized design using SPSS version 21. Comparison of means was carried out using the Duncan's multiple range tests, when the effect of treatment was significant (P<0.05). The linear model of experimental design as follows:

Yij:
$$\mu + Ti + \epsilon ij$$

Yij: The score for observation of ith variable and jth replication

μ : The overall population mean

Ti: The effect of ith treatment level (type of ration)

εij : The error effect associated with ith treatment level and jth replication.

i : 1, 2, 3, 4 j : 1, 2, 3

RESULTS AND DISCUSSION

Agricultural and food industry wastes in Manokwari Regency are commonly found in the markets and food industries center. Agricultural wastes are mostly vegetables, with water spinach as the dominant commodity. Vegetable wastes are the parts which aren't used for human consumption, such as the stem and root, or the ones that has already rotten or not sold. Aside from vegetable wastes, there is also fish waste which is free. Other wastes include ones from tofu industry, taro chips industry, and lastly from restaurants. To this date, those wastes haven't been utilized and usually just thrown away. The most important factor in livestock's ration formulation is the balance between energy and protein composition. That is why proximate analysis was conducted, as shown in Table 1.

Waste utilizations as shown in Table 2 were adjusted to gross protein and energy requirements for starter-pigs' metabolism which were 19.5% and 3150 kcal/kg. The feed used were vegetable waste, fish waste, tofu waste, taro skin, and wastes from restaurants. The reason for the utilization of those wastes was they were easily obtained in Manokwari. Two kinds of ingredients which were fish waste and tofu waste used in this study were included as protein sources, while others such as vegetable waste, restaurants' waste, and taro skin were used as the energy sources. Taro skin had the lowest CP content (4.26%), otherwise the highest CP content obtained was from fish waste (31.21%). Tofu waste wase the leftovers from the tofu-making process, and weighed around 25-35% of the final tofu product. The tofu waste used in this study had 23.85% CP content, this was consistent with the statement from Mathius dan Sinurat (2001) that tofu waste could be utilized as protein source feed since they had high gross protein value, around 23-29%. The commercial feed (CP 511) was used in this study as the control.

Table 2. The composition of pig rations (%) in starter period
--

Feedstuffs	Ration I	Ration II	Ration III	Ration IV
Fish waste	18.57	12.37	6.17	-
Tofu waste	15.70	10.47	5.23	-
Taro skin	8.82	5.90	2.94	-
Vegetables waste	16.04	10.69	5.37	-
Restaurant waste	15.87	10.57	5.29	-
Commercial ration*	25	50	75	100
Total	100	100	100	100

^{*}Contained corn, rice bran, soybean meal, coconut meal, meat and bone meal, wheat meal, canola, calcium, phosphorus, vitamin, trace mineral, and anti oxidant

Three kinds of treatments were made from wastes, while the last one was commercial feed as the control. Tabulation and statistic tests results of agricultural waste usage as starter pigs' feed are presented in Table 3.

Table 3. Analysis result of RAL statistic for ADG, feed intake and feed conversion

Variables	Treatments					D 1- C'	
variables	P1	P2	Р3	P4	-P-value Si		
Average daily gain (kg/head/day)	0.444±0.01	0.445±0.03	0.465±0.05	0.457±0.02	0.791	ns	
Feed intake (kg/head/day)	1.054±0.01	1.004 ± 0.05	1.042 ± 0.04	1.002±0.05	0.353	ns	
Feed conversion ratio	2.375 ± 0.06	2.259 ± 0.09	2.250±0.13	2.193 ± 0.02	0.159	ns	

Ns: Non-significant

Growth is defined as the interaction between genetic, food, and the environment (Hardjosubroto 1994). Livestocks' growth as the result of efficient maintenance could be measured by feed intake, body-weight gain, and the feed conversion ratio (Devi *et al.* 2014 and Rocadembosch *et al.* 2016). The result indicated that the utilization of all four kinds of ration was able to increase the pigs' daily weight gain, with the highest average from ration III (0.465±0.05 kg daily) followed by ration IV, II, and I.

In feed intake aspect, the highest intake found in pigs fed with ration I, followed by ration II, III, and IV (Table 3). This could be due to relatively higher palatability of agricultural and food industry wastes. Feed contained complete ingredients were more liked by the pigs. This agrees with previously studied by Wea (2017) that increasing use of market wastes such as water spinach, fish waste, and chaff as a mixture for pigs' ration caused higher the feed intake.

Feed conversion ratio is the amount of feed which needed to be consumed to gain 1 kg of body weight. The lower the value, the higher the efficiency of the feed to increase the livestocks' body weight. The best feed conversion rate were ration IV (100% commercial feed), followed by ration III, II, and I. This agrees with Behnke's (1998) cited by Briggs *et al.* (1999) that feed in the form of pellets had high

digestibility, because they need less energy to be digested. Therefore, to improve pigs' ability to digest feed made from agricultural and food industry wastes in the future, it is necessary to consider the production process, to determine which kind of size or form that is easier to digest.

Statistical test showed that there was no significant difference between treatments, whether it was ration I, II, or III against ration IV (the control) for the pigs' performance, which were denoted by daily weight gain, feed intake, and feed conversion.

In the farm business, the feeding part is the most expensive of all the operational cost. A study conducted by Sala & Delia (2012) indicated that the feeding part covered 80% of the livestock production cost. In the previous study of Warouw *et al.* (2014) and Kueain *et al.* (2017) showed that proportion of feeding cost approximately 44.66 to 55% of total production cost. Such high percentage could be reduced by finding alternative source of feed, which without reduce the output quality.

CONCLUSION

Results of this study showed that there were no significant difference on pig performances. Feeding ration with the combination of 25% waste and 75% commercial feed had the highest FCR.

ACKNOWLEDGMENT

This study was funded by The Directorate General of Strengthening Research and Development, Indonesian Ministry of Research, Technology and Higher Education through "Hibah Produk Terapan" scheme (contract number 089/SP2H/LT/DRPM/IV/2017).

REFERENCES


- Babovic J, Caric M, Djordjevic D, Lazic S. 2011. Factors influencing the economic of the pork meat production. Agric Econom. 57:203-209.
- Briggs J, Maier DE, Watkins BA, Behnke KC. 1999. Effect of ingredients and processing parameters on pellet quality. J Poult Sci. 78:1464-1471.
- Devi SM, Devi US, Kim IH. 2014. Evaluation of dietary sources of protein on growth performance in pigs. Vet Med. 59:247-253.
- Hardjosubroto W. 1994. Field breeding application. Jakarta (Indonesia): Gramedia Widiasarana Indonesia.
- Harikumar S, Davis J, Anil KS. 2016. Use of unconventional feed in pig production. J Indian Vet Assoc. 14:5-11.
- Iyai DA, Rahayu BWI, Sumpe I, Saragih D. 2011. Analysis of pig profile on small-scale pig farmer in Manokwari West Papua. J Indonesian Trop Anim Agric. 36:190-196.
- Jabbar MA, Akter S. 2008. Market and other factors affecting farm specific production efficience in pig production in Vietnam. J Inter Food Agri Marketing. 20:29-53.

- Kasapidou E, Sossidou E, Mitlianga P. 2015. Fruit and vegetable co products as fungsional feed ingredients in farm animal nutrition for improved product quality. Agriculture. 5:1020-1034.
- Kueain YA, Suamba IK, Wijayanti PU. 2017. Business financial analysis on piggery (a case study of piggery of UD Karang at Jagapati Village, Sub-district of Abiansemal, Badung). J Agribisnis Agrowisata. 6:96-104.
- Katsoulis K, Leontide L, Kontopidis G. 2016. Locally produced agricultural byproduct as feed sources for pigs. J Vet Sci Med. 4:1-5.
- Mathius IW, Sinurat AP. 2001. Utilization of inconventional feedstuffs for animal production. Wartazoa. 11:20-31.
- Rocadembosch J, Amador J, Bernaus J, Font J, Fraile LJ. 2016. Production parameter and pig production cost; temporal evolution 2010-2014. Porcine Health Management. 2:1-11.
- Schader C, Muller A, Scialabba NE, Hect J, Isensee A, Erb KH, Smith P, Makkar P, Klocke HPS, Leiber F, Schwegler P, Stolze M, Niggli U. 2015. Impact of feeding less fod competing feedstuffs to livestock on global food system sustainability. J Royal Society Interface. 12:1-12.
- Sala F, Delia E. 2012. The effect of pellet feed on the performance and nutrient's digestibility of weaned piglets. Albanian J Agric Sci. 4:275-278.
- Warouw ZM, Panelewen VVJ, Mirah ADP. 2014. Pig farm analysis of Kasewean company at Kakaskasen II of Tomohon Municipality. J Zootek. 34:92-102.
- Wea R. 2017. Production performance of pigs' which consume market's organic wastes. Partner J. 20:127-135.
- Woyengo TA, Beltranena E, Zijlstra RT. 2014. Controlling feed cost by including alternative ingredients into pig diet: A review. J Anim Sci. 92:1293-1305.



MINISTRY OF AGRICULTURE

INDONESIAN AGENCY FOR AGRICULTURAL RESEARCH AND DEVELOPMENT INDONESIAN CENTER FOR ANIMAL RESEARCH AND DEVELOPMENT



Dr. Trisiwi Wahyu Widayati, S.Pt., MM

as

Speaker

on

INTERNATIONAL SEMINAR ON LIVESTOCK PRODUCTION AND VETERINARY TECHNOLOGY **RUMINANT-COLLABORATIVE RESEARCH SUPPORT PROGRAM WORKSHOP**

Kualanamu, Parapat, North Sumatera, Indonesia, October 16-18th, 2018



Director of ICARD

dring ryan

Dr. Atien Priyanti